

# A Bibliography of the Palæolithic and Pleistocene Sites of the Mendip, Bath and Bristol Area

## First Supplement

By

DESMOND T. DONOVAN

The present contribution is a continuation of the bibliography compiled by the writer and published in these *Proceedings* in 1954. About 45 of the 106 additional items are references, mostly very minor ones, which were omitted from the 1954 bibliography and have come to my notice since. The remaining 61 are new and mark a welcome renewal of interest in the Pleistocene of our area. Among the landmarks are the publication of new maps of the area by both the Geological Survey (item 221) and the Soil Survey (items 200, 201). In addition to papers by local workers, many of them members of our Society, there are a number by experts from elsewhere, notably the first reports of a timely re-examination of some of our late Palæolithic sites by Dr. McBurney of Cambridge (items 240, 241). New sites for excavation, although not as easy to come by as formerly, are happily still forthcoming, and a full report on Picken's Hole (item 269) will be eagerly awaited.

The scope of the bibliography and the area which it covers are the same as for its predecessor of 1954. The items are numbered consecutively with those of the 1954 list, and a new site index is included, incorporating the one previously published and also the new references.

Abbreviations of titles of periodicals are generally according to the *World List of Scientific Periodicals* except for the following:

*P. Bath F.C.*—Proceedings of the Bath Natural History and Antiquarian Field Club.

*P.B.N.S.*—Proceedings of the Bristol Naturalists' Society.

*P.S.A.S.*—Proceedings of the Somersetshire Archæological and Natural History Society.

*Q. J.G.S.*—Quarterly Journal of the Geological Society of London.

*Proc.*—U.B.S.S.—Proceedings of the University of Bristol Spelæological Society.

Annotations in parentheses after a reference are by the compiler.

I am grateful to our President for supplying me with details of a number of papers which were inaccessible to me.

*Errata to 1954 Bibliography.* The following corrections should be made:

- p. 24, item 5: for 1943 read 1843.  
 p. 24, item 16A: for date of publication, 1929, read 1930 (or later).  
 p. 27, item 60: line 4: for oo read 34.  
 p. 28, item 87: after Aeolian insert Pleistocene.  
 p. 28, item 90: for Vol. 20 read Vol. 21.  
 p. 30, item 125: for 46-62 read 46-53.  
 p. 32, item 170: for 1885 read 1886.

#### BIBLIOGRAPHY

179. ANON., 1797, *Sporting Magazine*, Feb., 1797. (Aveline's Hole.)  
 180. ANON., 1905, "Miscellanea: Prehistoric Remains from Gough's Cavern, Cheddar," *P.S.A.S.*, Vol. 50, 106. (No original information.)  
 181. ANON., 1906, "Records of Well Sections at Bristol," *Proc. B.N.S.*, 4th Ser., Vol. 1, Pt. 3, 209-211. (Well in Union St., penetrating buried river gravels.)  
 182. ANON., 1954, "Report on the Excavations in the Banwell Bone Cave," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 2, 7-8.  
 183. ANON., 1958, "Pleistocene Deposits in the Clevedon Area," Clevedon & Distr. Arch. Soc., *News sheet*, No. 14, 1-2. (All Saints Lane, E. Clevedon. Boulders and limestone scree at foot of steep hillside, with irregular patches of fine sand. The scree contained a few horse bones; the sand yielded small birds and Arctic Lemming (ident. M. A. C. Hinton). Less calcite grit than the Holly Lane section.)  
 184. ANON., 1958, "Obituary. Mr. H. E. Balch," *Proc. U.B.S.S.*, Vol. 8, No. 2, 73.  
 185. ANON., 1961, "Mr. M. A. C. Hinton. A Zoologist of Distinction," *The Times*, October 5, 1961, 15. (Obituary.)  
 186. AP SIMON, A. M., 1957, "A Creswellian Implement from the Chew Valley, north Somerset," *Proc. U.B.S.S.*, Vol. 8, No. 1, 46-8.  
 187. AP SIMON, A. M., and BOON, G. C., 1960, "An Exposure of the Bristol Avon Gravels at Shirehampton, near Bristol, June, 1959," *Proc. U.B.S.S.*, Vol. 9, No. 1, 22-9. (River gravels at about 100 ft. above O.D.)  
 188. AP SIMON, A. M., and DONOVAN, D. T., 1956, "Marine Pleistocene Deposits in the Vale of Gordano, Somerset," *Proc. U.B.S.S.*, Vol. 7, No. 3, 130-6. (Temporary section at Weston-in-Gordano of deposits assigned to Main Monastirian sea-level phase.)  
 189. AP SIMON, A. M., DONOVAN, D. T., and TAYLOR, H., 1961, "The Stratigraphy and Archæology of the Late-Glacial and Post-Glacial deposits at Brean Down, Somerset," *Proc. U.B.S.S.*, Vol. 9, No. 2, 67-136, with appendices on Fauna by R. J. G. Savage, and Soil Samples by I. W. Cornwall.  
 190. ASHWORTH, H. W. W., 1954, "The Badger Hole, Wookey Hole, 1953 Report," *M.N.R.C. Report for 1953-54*, 13-16. (Records work done including finds of large pieces of mammoth tusk. Diagrammatic section showing positions of finds. No stratification shown.)  
 191. BRAMWELL, D., 1957, "Report on the Bird Bones from the Pleistocene Levels Sun Hole, Cheddar," *Proc. U.B.S.S.*, Vol. 8, No. 1, 40.  
 192. BRAMWELL, D., 1960, "Report on a Collection of Bird Bones from the 1929 Excavations at Soldier's Hole, Cheddar," *P.S.A.S.*, Vol. 104, 87-90.  
 193. BRIGHT, R., 1817, "On the Strata in the Neighbourhood of Bristol," *Trans. Geol. Soc. Lond.*, Vol. 4, 193-205. (Buried gravel and later deposits in New River.)  
 194. BROWN, J. C., 1957, "Palæolithic and Other Implements from the Shirehampton District," *Proc. U.B.S.S.*, Vol. 8, No. 1, 43-4. (Acheulian bifaces and flakes.)  
 195. BROWNE, W. R., 1868 (?) [1869], "Organic Remains from Cumberland Basin," *P.B.N.S.*, New Ser. 1, Vol. 3, 34. (Red deer, Pleistocene or later.)  
 196. CHAMBERS, R., 1848, *Ancient Sea-Margins, as Memorials of Changes in the Relative Level of Sea and Land*. Edinburgh and London. (Erosion levels and terraces at Bristol and Bath.)  
 197. CHAPMAN, E. J., 1955, [A plan of the Banwell Bone Cave and Extensions is given as an insert. Signed: Drawn by E. J. Chapman.] *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 4, insert between pp. 21-2.

198. CLAY, R. C. C., 1927, "Excavations at Chelm's Combe, Cheddar: Report on the Bone and Flint Implements," *P.S.A.S.*, Vol. 72, 113-15. (Bone implements (?) from Palæolithic levels.)
199. CLAYDEN, B., and FINDLAY, D. C., 1960, "Mendip-derived Gravels and their Relationship to Combes," *Abstracts Proc. 3rd Conference of Geologists & Geomorphologists working in S.W. England, Bristol*, 1960, 24-5. Penzance: Roy. Geol. Soc. Cornwall.
200. CLAYDEN, B., and FINDLAY, D. C., 1962, Weston-super-Mare, Sheet 279 of the one-inch series of the Soil Survey of England and Wales, published by the Ordnance Survey, Chessington, Surrey.
201. CLAYDEN, B., FINDLAY, D. C., and TAPP, C. J., 1962, Wells, Sheet 280 of the one-inch series of the Soil Survey of England and Wales, published by the Ordnance Survey, Chessington, Surrey. (Pleistocene gravels at mouths of Mendip combs (see Clayden and Findlay, 1960) mapped as the Langford Series.)
202. CONYBEARE, W. D., and PHILLIPS, W., 1822, *Outline of the Geology of England and Wales*. London. (227-8, footnote. Transported chalk flints on summits S. and SE. of Bath.)
203. COOPER, N. C., 1931, "Report on a Mandible from 'The Caves,' Cheddar," *P.S.A.S.*, Vol. 76, 57-8.
204. CORNWALL, I. W., 1961, "Appendix II. Report on the Soil Samples [from Late-Glacial and Post-Glacial deposits at Brean Down, Somerset]," *Proc. U.B.S.S.*, Vol. 9, No. 2, 132-6.
205. COX, L. R., *et al.*, 1941, "Easter Field Meeting, 1940 (March 21st-26th), Bath," *Proc. Geol. Ass., Lond.*, Vol. 52, 16-35. (Gravel terrace at Victoria Pit, Bath.)
206. CROLL, J., 1874, "On the South of England Ice-sheet," *Geol. Mag.*, New Ser., Dec. 2, Vol. 1, 257.
207. DAVIES, A. G., 1955, "Report on the Molluscs from Sun Hole Cave, Cheddar," *Proc. U.B.S.S.*, Vol. 7, No. 2, 71.
208. DAWKINS, W. B., 1864, "Wookey Hole," *P.S.A.S.*, Vol. 12 (Part I: Proceedings), 53-5. (Report of excursion.)
209. DONOVAN, D. T., 1949, "The Geology of Rod's Pot, Burrington," *Proc. U.B.S.S.*, Vol. 6, No. 1, 72-5. (Re-excavation of gravelly deposit formerly filling the cave.)
210. DONOVAN, D. T., 1951, "Report on Rhino Rift," *Proc. U.B.S.S.*, Vol. 6, No. 2, 213. (Pleistocene bones found.)
211. DONOVAN, D. T., 1954, "A Bibliography of the Palæolithic and Pleistocene Sites of the Mendip, Bath and Bristol Area," *Proc. U.B.S.S.*, Vol. 7, No. 1, 23-34.
212. DONOVAN, D. T., 1955, "The Pleistocene Deposits at Gough's Cave, Cheddar, including an account of recent excavations," *Proc. U.B.S.S.*, Vol. 7, No. 2, 76-104. (Late Pleistocene stratigraphy, with discussion of the levels from which flint implements were obtained.)
213. DONOVAN, D. T., 1955, "Pleistocene," *Bristol and Its Adjoining Counties* (ed. C. M. MacInnes and W. F. Whittard), 28-9. Bristol: Arrowsmith.
214. DONOVAN, D. T., 1960, "Gravels Below the Flood-plain of the Bristol Avon at Keynsham," *P.B.N.S.*, Vol. 30, Pt. 1, 55-66. (Gravels below the alluvium, resting on bedrock. The base of the gravels falls below sea level at Bristol. They are tentatively correlated with the Worcester Terrace of the Severn.)
215. DONOVAN, D. T., 1962, "Sea Levels of the Last Glaciation," *Bull. Geol. Soc. Amer.*, Vol. 73, 1297-8. (Dating of Howe Rock and Swallow Cliff marine erosion platforms.)
216. DOORBAR, J. H. H., 1925, "Prehistoric Worlebury [report of a lecture]," *Weston-super-Mare Gazette*, Saturday, March 7, 1925, 7. (Records the excavation of a fissure-filling at town quarry, Milton, nr. Weston, by the lecturer, commencing Jan., 1909. Woolly rhino teeth (incl. 1 milk) and *Bos* teeth found.)
217. DUTTON, L. M., 1921, *Brean Down*. Weston-super-Mare, 16, folding plan. (Refers to the Sand Cliff.)
218. EVENS, E. D., 1958, "Origin of Picrite Blocks near Wells," *Geol. Mag.*, Vol. 95, 511. (Concludes that the picrite found near Wookey Hole was brought to the area by human agency in modern times, probably as railway ballast. See Reynolds, 1920, and Sandford, 1929.)

219. FRY, T. R., 1952, "Note on a Section of Alluvium at Broadmead, Bristol," *P.B.N.S.*, Vol. 28, Pt. 3, 273. (Buried river gravel.)
220. FRY, T. R., 1956, "Further Notes on the Gravel Terraces of the Bristol Avon, and their Palæoliths," *Proc. U.B.S.S.*, Vol. 7, No. 3, 121-9. (Acheulian artefacts from Kelston, Brislington House Farm, and Portbury. Sections through gravels at Brislington and Lawford's Gate.)
221. GEOLOGICAL SURVEY OF ENGLAND AND WALES, 1955, The Bristol District (special sheet of the quarter-inch geological map). (The marine gravels at Kenn, described by Welch (1956), *q.v.*, are differentiated and referred to the Burtle Beds.)
222. GEOLOGICAL SURVEY OF ENGLAND AND WALES, 1962, Bristol District (parts of Sheets 250, 251, 264, 265, 280, 281). Special sheet of the one-inch geological map. (Certain Pleistocene deposits differentiated. The six-inch geological maps of the area are in course of publication.)
223. GILBERT, E. V., 1961, "Secretary's Report," *Proc. U.B.S.S.*, Vol. 9, No. 2, 63-6. (Excavation of bone fissure at Olveston, nr. Almondsbury, Glos., by Dr. H. Taylor. Bones include *Rhinoceros hemitechus*; compared with Last Interglacial faunas.)
224. GRAY, H. ST. G., 1904, "Notes on the Skeleton and Flints found in Gough's Cave, Cheddar," *Notes & Queries for Somerset & Dorset*, Vol. 9, 2-5.
225. GRAY, H. ST. G., 1929, "Antiquities other than those of Flint found in Gough's Cave, 1927-28," *P.S.A.S.*, Vol. 74, 111-18, Pls. 19, 20.
226. GRAY, H. ST. G., 1931, "Antiquities other than those of Flint found in Gough's Cave, 1929-30," *P.S.A.S.*, Vol. 76, 53-7, text-fig. 3.
227. GREENLY, E., 1948, "The Age of the Clifton Gorge, Bristol," *P.B.N.S.*, Vol. 27, Pt. 4, 283-4. (Age surmised as Pliocene.)
228. HARMER, F. W., 1907, "On the Origin of Certain Cañon-like Valleys associated with Lake-like Areas of Depression," *Q. J. G. S.*, Vol. 63, 470-514. (Postulated 'Lake Trowbridge' formed by glacial damming, causing downcutting of the Avon valley at Bradford-on-Avon as an overflow channel. The Clifton gorge perhaps formed when the Flax Bourton valley was blocked by snow or ice.)
229. HEDLEY, G., 1963, "Main Drainage at Weston-super-Mare," *Proc. Inst. Civil Eng.*, Vol. 26, 31-50. (Sections through alluvial plain at Weston.)
230. HOUSTON, D. H., 1962, "Secretary's Report, 1961-1962," *Proc. U.B.S.S.*, Vol. 9, No. 3, 155-6. (Brief note of Picken's Hole, a bone cave near Crook Peak. Layers with *hyæna* and bear.)
231. HUNT, J. [W.], c. 1952, "The Background to the Excavation of the Bone Deposits in Banwell Bone-Cave," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 1, No. 1 (undated), 28-31. (Short historical account based mainly on Rutter. Mentions own excavations and fauna found of bison, ox, cave bear, reindeer, red deer, wolf and fox.)
232. HUNT, J. [W.], 1953, "Report on Excavations in the Banwell Bone Cave," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 1, No. 4, 29-31. (Confirms absence of horse from the fauna.)
233. HUNT, J. [W.], 1954, "Banwell Bone Cave. Notes on the Deposits in the Eastern Branch," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 2, 8-9. (Lists some species found. None new to the cave.)
234. HUNT, J. [W.], 1955, "Banwell Bone Cave," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 3. (Refers to discrepancies between the faunal lists published by various authorities.)
235. HUNT, J. [W.], 1957, "An Early Description of the Banwell Bone-Caverns," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 3, No. 2, 23-35. (Quotes from Mr. George Bennett's *History of Banwell*, c. 1825. Briefly mentions finding of cave in 1824; this account is earlier than Rutter's (1829). Cave contained "immense quantities of bones, horns and teeth of animals, both carnivorous and graminivorous".)
236. JACKSON, J. W., 1931, "The Vertebrate and Molluscan Fauna of Soldier's Hole," *P.S.A.S.*, Vol. 76, 58-62.
237. JACKSON, J. W., 1955, "The Pleistocene Vertebrate Fauna of Sun Hole, Cheddar," *Proc. U.B.S.S.*, Vol. 7, No. 2, 73-5.
238. JEX-BLAKE, T. W., 1904, "Prehistoric Man at Cheddar," *Notes & Queries for Somerset & Dorset*, Vol. 9, 1-2.

239. LEESE, C. E., and VERNON, W. F., 1961, "Basal Gravel in the Alluvium near Severn Beach," *P.B.N.S.*, Vol. 30, Pt. 2, 139-43.
240. MCBURNEY, C. B. M., 1959, "Report on the First Season's Fieldwork on British Upper Palæolithic Cave Deposits," *Proc. Prehist. Soc.*, New Ser., Vol. 25, 260-9. (Stratigraphy at Bridged Pot and other Ebbor shelters.)
241. MCBURNEY, C. B. M., 1961, "Two Soundings in the Badger Hole near Wookey Hole, in 1958, and their Bearing on the Palæolithic Finds of the late H. E. Balch," *71st & 72nd Annual Reports Wells N. H. & Arch. Soc.*, Wells, 19-27. (Evidence for only one period of human occupation, of Proto-Solutrean culture, during a period of mild climate.)
242. MOORE, C., 1867, *On the Presence of Bubalus Moschatus in the Drift of Wiltshire.* (Mammal drift at Lyncombe and Widcombe, Bath.)
243. OAKLEY, K. P., 1953, "Royaume-Uni" in "Catalogue des Hommes fossiles," *C.R. XIX Congr. géol. Int.*, Sect. 5, Fasc. 5, 195-216. (Human bones of Palæolithic date from Cheddar and Burrington catalogued.)
244. OAKLEY, K. P., 1958, "The Antiquity of the Skulls reputed to be from Flint Jack's Cave, Cheddar, Somerset," *Proc. U.B.S.S.*, Vol. 8, No. 2, 77-82. (Reasonable to suppose that the skulls described by Wells, 1958, were found at Flint Jack's Cave and were of Upper Palæolithic date. Flints of Creswellian type described and figured. The term "Cheddarian" applied to the local facies of the Upper Palæolithic as developed at Gough's Cave, Cheddar.)
245. OLLIER, C. D., 1958, "Sun Hole Cave, Cheddar. Pleistocene Deposits," *Proc. U.B.S.S.*, Vol. 8, No. 2, 125. (Note on Triassic material in the deposits; probably derived from fissure fillings north of Cheddar.)
246. REYNOLDS, S. H., 1920, "On the Occurrence of Picritic Serpentine at Ebbor, near Wells, Somerset," *Geol. Mag.*, Vol. 57, 224-6. (Rock identical with that quarried at Menheniot, Cornwall, believed to have been carried to Ebbor as an ice-borne boulder in the "Pliocene" sea. Alternative explanations, i.e., introduction by men, or derivation from a local intrusion, are rejected. See also Sandford, 1929, and Evens, 1958.)
247. RICHARDSON, L., 1928, "Wells and Springs of Somerset." London: *Mem. Geol. Surv.* (Sections through buried gravels at Bath, 196, 201, etc.)
248. RICHARDSON, L., 1930, "Wells and Springs of Gloucestershire," *Mem. Geol. Surv.* (Borings through buried gravels at Bristol, 229-31.)
249. RICHARDSON, L., 1957, "Flint Gravel on Bathampton Down, Bath," *Proc. Cotteswold Nat.Fld. Club*, Vol. 32, Pt. 2, 41. (Pocket exposed in 1952. Contained abundant flint.)
250. SANDFORD, K. S., 1929, "The Erratic Rocks and the Age of the Southern Limit of Glaciation in the Oxford District," *Q. J. G. S.*, Vol. 85, 359-88. (Picrite from Ebbor discussed on pp. 364, 378. See also Reynolds, 1920, and Evens, 1958.)
251. SAVAGE, R. J. G., 1960, "Appendix 2. The Vertebrate Fauna [of Gough's Old Cave, Cheddar, Somerset]," *Proc. U.B.S.S.*, Vol. 9, No. 1, 20-1. (Late Pleistocene fauna.)
252. SAVAGE, R. J. G., 1961, "Appendix I. Fauna [of Late-Glacial and Post-Glacial deposits at Brean Down, Somerset]," *Proc. U.B.S.S.*, Vol. 9, No. 2, 130-2. (Late Pleistocene fauna from the lower beds.)
253. SAVAGE, R. J. G., 1961, "Mr. M. A. C. Hinton, F.R.S.," *Nature, Lond.*, Vol. 192, 916-17. (Obituary.)
254. SAVAGE, R. J. G., and DONOVAN, D. T., 1962, *The British Pleistocene Mammalia.* Table of contents and index. London: Palæontographical Soc. (This completes the monograph, indexed in this bibliography in 1954 under items 63, 68, 131, 134, 136-139. Bibliographical details are given.)  
SOIL SURVEY—see Clayden and Findlay, etc.
255. SOLLAS, W. J., 1881, "Excursion to Bristol," *Proc. Geol. Ass., Lond.*, Vol. 6, 396-402. (P. 401, "The Cheddar cave was first visited [not Cox's, mentioned later], and the one next door to it, which has not yet received a name. In this we found the cave-earth still remaining, and a short search brought to light numerous imbedded bones.")
256. STEERS, J. A., 1960, *The Coast of England & Wales in Pictures.* Cambridge University Press. (Aerial view of Brean Down, pl. 72, showing marine erosion platforms. See ApSimon, Donovan and Taylor, 1961, p. 69.)

257. STODDART, W. W., 1871, "The Quaternary Deposits of the Bristol Neighbourhood," *P.B.N.S.*, New Ser., Vol. 5, 37-43. (Section at Cumberland Basin, p. 39. Buried river gravels, Pleistocene bones including *Rhinoceros*.)
258. SUTCLIFFE, A. J., 1955, "A Preliminary Report on the Reindeer Remains from Banwell Bone-Cave-Antler Bases," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 4, 36-40. (Nearly all shed antlers, mostly of young beasts. Seasonal migrations in summer inferred.)
259. SUTCLIFFE, J., 1822. *The Geology of the Avon*. Bristol. (Buried river gravel, p. 8.)
260. THOMPSON, W., and WINWOOD, H. H., 1906, "Excursion to Bath," *Proc. Cotteswold Nat.Fld. Club*, Vol. 15, Pt. 3, 176-8. (P. 177: Gravel pit, nr. Oldfield Park, with mammoth tusk and gravel of non-local constituents. Twerton gravel pit.)
261. TOWNSEND, J., 1813, *The Character of Moses established for Veracity as an Historian, recording events from the Creation to the Deluge*. Bath: printed by M. Guey, Market Place, and published by Longman, Hurst, Rees, Orme and Brown, Paternoster-Row, London. (The second impression of this work has already been indexed as item 158. It was originally published under the present title.)
262. TRATMAN, E. K., 1955, "Second Report on the Excavations at Sun Hole, Cheddar," *Proc. U.B.S.S.*, Vol. 7, No. 2, 61-72. (Late Pleistocene industry and fauna.)
263. TRATMAN, E. K., 1958, "Flint Jack's Cave, Cheddar, Somerset," *Proc. U.B.S.S.*, Vol. 8, No. 2, 76.
264. TRATMAN, E. K., 1960, "Gough's Old Cave, Cheddar, Somerset," *Proc. U.B.S.S.*, Vol. 9, No. 1, 7-21. (Record of U.B.S.S. excavations. Scanty late Pleistocene material, disturbed.)
265. [TRATMAN], E. K., 1962, "Professor Emeritus L. S. Palmer, D.Sc., Ph.D.," *Proc. U.B.S.S.*, Vol. 9, No. 3, 157. (Obituary notice.)
266. TRATMAN, E. K., 1963, "Cave Lion from Goatchurch Cavern, Burrington Combe, Somerset," *Proc. U.B.S.S.*, Vol. 10, No. 1, 16. (New record for the cave.)
267. TRATMAN, E. K., 1963, "Sun Hole Cave, Cheddar, Somerset. Pleistocene Fauna," *Proc. U.B.S.S.*, Vol. 10, No. 1, 16, 17. (Revised faunal list including new records. Single tooth of hyæna found in collection since list published. Suggested that the uppermost 8 ft. of Pleistocene deposits were laid down in Late Glacial, from Allerød to Younger Dryas.)
268. TRATMAN, E. K., 1963, "The Hydrology of the Burrington Area, Somerset," *Proc. U.B.S.S.*, Vol. 10, No. 1, 22-57. (Tentative chronology, pp. 51-5.)
269. TRATMAN, E. K., 1964, "Picken's Hole, Crook Peak, Somerset," *Proc. U.B.S.S.*, Vol. 10, No. 2, 112. (Preliminary account with section. Deposits of period of Last Glaciation, possibly from Würm I/II interstadial onwards.)
270. TYTE, W., 1906, *Memorials of Old Somerset*. 22, Aveline's Hole, *teste* Davies. *Proc. U.B.S.S.*, Vol. 1, No. 2.
271. USSHER, W. A. E., 1915, "A Geological Sketch of Brean Down and its Environs, with special reference to the Marsh Deposits of Somerset," *P.S.A.S.*, Vol. 40, Pt. 2, 17-40.
272. VARNEY, W. D., 1921, "The Geological History of the Pewsey Vale," *Proc. Geol. Ass., Lond.*, Vol. 32, 189-205. (The Bristol Avon supposed to have begun as part of a river flowing from S. Wales south-eastwards to Southampton Water. The plateau gravels around Bath deposited by this river.)
273. WEARE, R. [J.], 1953, "Triple-H Cave and Associated Work on Axbridge Hill," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 2, No. 2, 13-14. (Very brief account of dig with rough schematic section. Some indications of two bone-bearing layers. Fauna included rhinoceros, wolf, hyæna, bear, reindeer and Arctic fox. A part of a skull of rhinoceros is referred to. No other account of this site known. Pleistocene deposits were destroyed.)
274. WEARE, R. [J.], 1957, "Meadow Street Excavations, Axbridge, Somerset," *J. Axbridge Cav. Grp. & Arch. Soc.*, Vol. 3, No. 2, 17-18. (Describes very briefly alleged Pleistocene lake edge with white tufaceous deposits: bones of *Bos*, bear, reindeer and horse were found "in the lower silt deposits and resting on the underlying clay".)
275. WELCH, F. B. A., 1956, "Note on Gravels at Kenn, Somerset," *Proc. U.B.S.S.*, Vol. 7, No. 3, 137. (Marine gravels, possibly to be correlated with the Burtle Beds of south Somerset.)

276. WELLS, L. H., 1958, "Human Remains from Flint Jack's Cave, Cheddar, Somerset," *Proc. U.B.S.S.*, Vol. 8, No. 2, 83-8. (Two skulls now in the British Museum (Natural History) described and discussed. For the provenance of the skulls see Oakley, 1958.)
277. WESTON, C. H., 1850, "On the Diluvia and Valleys in the Vicinity of Bath," *Q. J. G. S.*, Vol. 6, 449-51. (Flint gravels on hill summits at Bath.)
278. W[HITE], E. I., 1962, "Martin Alister Campbell Hinton," *Proc. Geol. Soc., Lond.*, No. 1602 (9 Nov. 1962), 155-6. (Obituary notice.)
279. WICKS, A. T., 1940, "Remains of the Mammoth at Combe Hay," *Proc. Bath & District Branch of Som. Arch. & N. H. Soc. for 1939*, p. 284. (Tooth found in gravelly subsoil at Cotte Farm, 20 ft. above the level of the Cam Brook.)
280. WILLIAMS, D., 18—, [Letter, printed for private circulation: refers to Hutton Cavern.] (Referred to in the Parker MSS. at Oxford Museum. I have not seen it.—D. T. D.)
281. WILLIS, A. J., and JEFFERIES, R. L., 1959, "The Plant Ecology of the Gordano Valley," *P.B.N.S.*, Vol. 29, Pt. 5, 469-90. (Quaternary history of the valley, 471-3.)
282. WINWOOD, H. H., 1875, "Notes on some Railway Sections near Bath," *P. Bath F.C.*, Vol. 3, No. 2, 129-35. (River gravel with mammoth at Moorfield cutting.)
283. WINWOOD, H. H., 1877, "Summary of Proceedings for the year 1876-77," *P. Bath F.C.*, Vol. 3, No. 4, 412-29. (Flint gravel on Farley Down, Bath.)
284. WOOLDRIDGE, S. W., 1961, "The Radstock Plateau—a Note on the Physiography of the Bristol District," *P.B.N.S.*, Vol. 30, Pt. 2, 151-62. (Erosion surface at about 600 ft. above O.D. recognized and correlated with the Plio-Pleistocene surface in SE. England. Plateau gravels on the hill summits near Bath may lie on this surface.)

## SITE INDEX

The numbers following the names of the sites refer to the items in the Bibliography. With a few exceptions only sources of original information about each site are listed, including monographs in which material from the site is described or identified.

- ABBOT'S LEIGH ("plateau gravels"), 121
- ALMONDSBURY BONE FISSURE, 52A, 94, 95, 223
- AXBRIDGE, Triple-H Cave, 273  
(supposed lake deposits), 274
- BANWELL BONE CAVE, 3, 22, 23, 39, 48, 63, 65, 93, 95, 109, 131, 137, 139, 140, 141, 148, 182, 197, 231-235, 258
- BATH (river gravels), Larkhall, 1, 63, 65, 105B, 108A, 139, 175, 178  
Locksbrook, 1, 61, 63, 65, 136, 137, 139  
Twerton, 52, 108A, 115, 136, 175, 176, 178, 205, 260  
Other localities and unlocalized records, 22A, 64, 65, 108A, 115, 137, 158, 165A, 175, 177, 178, 242, 260, 261, 282  
(plateau gravels), 105B, 115, 129, 168, 174, 202, 249, 272, 277, 283, 284  
(buried gravels), 108A, 214, 247
- BLAGDON BONE FISSURE, 5A
- BLEADON BONE CAVE, 1, 22, 63, 65, 77, 78, 95, 131, 136, 137, 139, 148  
(Superficial deposits), 122
- BREAN DOWN, 74, 104A, 122, 130, 189, 204, 217, 252, 256, 271
- BRISLINGTON (river gravels), 220
- BRISTOL (river gravels), Lawford's Gate, 220  
Ham Green, 52  
St. Anne's Park, 52  
Shirehampton and Chapel Pill, 52, 104C, 121, 187, 194, 222  
(buried gravels), 181, 193, 195, 214, 219, 248, 257, 259  
(? occurrence), Pen Park, 137

- BURRINGTON, Aveline's Hole, 2, 22, 32, 33, 42, 45, 46, 47, 60, 79, 80, 81, 82, 84, 91, 92, 95, 98, 104, 111, 112, 113, 117, 137, 140, 141, 160, 161, 179, 212, 243, 270  
 Goatchurch Cavern, 13, 22, 28, 60, 69, 95, 137, 140, 141, 266  
 Foxes' Hole, 41, 60, 104B  
 Rod's Pot, 209  
 (Mendip-derived gravels), 199, 201
- CHEDDAR, Bone Hole, 21, 63, 105  
 Chelm's Combe Shelter, 15A, 18, 93A, 198  
 Flint Jack's Cave, 21, 48, 244, 263, 276  
 Gough's Cave, 32, 37, 38, 48, 49, 50, 51, 82, 95, 100, 123A, 124, 125, 136, 137, 149, 162A, 180, 203, 212, 224, 225, 226, 238, 243  
 Gough's Old Cave, 251, 264  
 Great Oone's Hole, 21, 48  
 Soldiers' Hole, 9A, 16A, 95, 125, 192, 212, 236, ?255  
 Sugarloaf Rock, 21, 125  
 Sun Hole, 162, 191, 207, 212, 237, 245, 262, 267  
 (Mendip-derived gravels), 199, 201
- CHARTERHOUSE-ON-MENDIP, Rhino Rift, 210
- CHURCHILL (Mendip-derived gravels), 199, 201
- CLAVERHAM (superficial deposits), 86
- CLEDON (æolian deposits and breccias), 87, 88, 89, 93, 119, 165, 183. (*See also* Walton Bone Cave)  
 (raised beaches), 121, 122
- CLIFTON, Avon Gorge, 227, 228
- COMBE HAY (find of mammoth), 279
- COMPTON BISHOP, Picken's Hole, 230, 269
- DULCOTE HILL, near Wells (bone fissures), 22, 95
- DURDHAM DOWN FISSURE, near Bristol, 1, 5, 63, 65, 78, 95, 131, 134, 137, 152, 170, 171
- EBBOR GORGE (Bridged Pot and other shelters), 15B, 15C, 16A, 20, 93B, 93C, 95, 240
- FARLEIGH DOWN (*see* Monkton Farleigh)
- FRESHFORD (river gravels), 65, 68, 69, 108A, 138, 139, 175, 178
- GORDANO, VALE OF, 281 (*and see* Weston-in-Gordano)
- HAMPTON DOWN (plateau gravels) (*see* Bath)
- HINTON, 65
- HUTTON CAVE, 1, 14, 34, 35, 48, 63, 65, 78, 95, 131, 136, 137, 140, 141, 144, 148, 159, 169, 171, 280
- KELSTON (river gravels), 220, 222
- KENN (marine gravels), 221, 222, 275
- KEYNSHAM (buried gravels), 214
- KINGSDOWN (*see* Monkton Farleigh)
- LITTON (Mendip-derived gravels), 199, 201
- MILTON HILL, near Wells (bone fissure), 18A, 19A, 22, 95, 139
- MONKTON FARLEIGH (plateau gravels), 105B, 115, 129, 168, 174
- NEWTON ST. LOE (river gravels), 61, 108A, 116
- PORTBURY (river gravels), 220, 222
- ROWBERROW CAVERN, 95, 154, 155, 156, 157
- SALTFORD (Stidham Farm gravel pit), 52, 178
- SANDFORD HILL (bone caves or fissures), 1, 48, 63, 65, 95, 104B, 131, 137, 139, 140
- SEVERN BEACH (buried gravels), 239
- SHEEPWAY (river gravels) (*see* Portbury)
- UPHILL CAVES, 25, 26, 27, 48, 63, 65, 73, 82, 93, 95, 128, 131, 139, 140, 169, 172, 173
- WALTON BONE CAVE, 40, 88, 89, 90, 93, 95, 131, 132
- WELLS (gravels), 1, 11, 15C. (*See also* Dulcote, Milton Hill)
- WEST HARPTREE (Creswellian implement), 186  
 (Mendip-derived gravels), 199, 201
- WESTON-IN-GORDANO (marine gravels, etc.), 188
- WESTON-SUPER-MARE, Birnbeck Cove (raised beach), 73, 108, 153  
 Milton (bone fissure), 216  
 (Sections through deposits below alluvium), 229  
 Nature of occurrence unrecorded, 1



- WHATLEY (bone fissure), 75A  
WINSCOMBE, Wolf Den, 22  
    (Mendip-derived gravels), 199, 201  
WOODSPRING (raised beach), 130, 142  
WOOKEY HOLE, Badger Hole, 19B, 19C, 19D, 20, 190, 241  
    Hyæna Den, 1, 15, 16B, 53, 54, 55, 56, 57, 63, 66, 70, 82, 95, 131,  
    136, 137, 139, 208  
YATTON (superficial deposits), 86